



Certificate of Analysis
Compliance Test

Client Information:

HH Processors
14708 NE 13th Ct
Vancouver, WA 98685

Batch # 2023-0585
Batch Date: 2023-10-23
Extracted From: Finished Product

Test Reg State: Florida

Order # HHP231108-080001
Order Date: 2023-11-08
Sample # AAFA478

Sampling Date: 2023-11-10
Lab Batch Date: 2023-11-10
Completion Date: 2023-11-17

Initial Gross Weight: 247.800 g

Number of Units: 1
Net Weight per Unit: 3800.000 mg
Sampling Method: MSP 7.3.1



Product Image

Potency Tested
 Heavy Metals Passed
 Mycotoxins Passed
 Pesticides Passed
 Residual Solvents Passed
Pathogenic Microbiology Passed
 Microbiology (qPCR) Passed

Potency 10
Specimen Weight: 3008.600 mg

Tested
SOP13.001 (LCUV)

Potency Summary

Total Active THC None Detected	Total Active CBD None Detected
Total CBG None Detected	Total CBN None Detected
Other Cannabinoids 0%	Total Cannabinoids None Detected

Pieces For Panel: 60

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
CBC	10.000	1.80E-5	0.015	<LOQ	<LOQ
CBD	10.000	5.40E-5	0.015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
CBG	10.000	2.48E-4	0.015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.015	<LOQ	<LOQ
CBN	10.000	1.40E-5	0.015	<LOQ	<LOQ
Delta-9 THC	10.000	1.30E-5	0.015	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD	10.000			<LOQ	<LOQ
Total Active THC	10.000			<LOQ	<LOQ

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis
Compliance Test

Client Information: HH Processors 14708 NE 13th Ct Vancouver, WA 98685		Batch # 2023-0585 Batch Date: 2023-10-23 Extracted From: Finished Product	Test Reg State: Florida
Order # HHP231108-080001 Order Date: 2023-11-08 Sample # AAFA478	Sampling Date: 2023-11-10 Lab Batch Date: 2023-11-10 Completion Date: 2023-11-17	Initial Gross Weight: 247.800 g	Number of Units: 1 Net Weight per Unit: 3800.000 mg Sampling Method: MSP 7.3.1

Total Yeast and Mold Specimen Weight: 479.400 mg Dilution Factor: 1.000	Passed SOP13.017 (qPCR)	Pathogenic Microbiology SAE (MicroArray) Specimen Weight: 1019.800 mg Dilution Factor: 1.000	Passed SOP13.019 (Micro Array)																								
<table border="1"> <thead> <tr> <th>Analyte</th> <th>Action Level (cfu/g)</th> <th>Result (cfu/g)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>Total Yeast/Mold</td> <td>100000</td> <td><LOQ</td> <td>Passed</td> </tr> </tbody> </table>	Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark	Total Yeast/Mold	100000	<LOQ	Passed		<table border="1"> <thead> <tr> <th>Analyte</th> <th>Result (cfu/g)</th> <th>Analyte</th> <th>Result (cfu/g)</th> </tr> </thead> <tbody> <tr> <td>Aspergillus flavus</td> <td>Absence in 1g</td> <td>Aspergillus terreus</td> <td>Absence in 1g</td> </tr> <tr> <td>Aspergillus fumigatus</td> <td>Absence in 1g</td> <td>Salmonella</td> <td>Absence in 1g</td> </tr> <tr> <td>Aspergillus niger</td> <td>Absence in 1g</td> <td>STEC E. Coli</td> <td>Absence in 1g</td> </tr> </tbody> </table>	Analyte	Result (cfu/g)	Analyte	Result (cfu/g)	Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g	Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g	Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g	
Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark																								
Total Yeast/Mold	100000	<LOQ	Passed																								
Analyte	Result (cfu/g)	Analyte	Result (cfu/g)																								
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g																								
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g																								
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g																								

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information: HH Processors 14708 NE 13th Ct Vancouver, WA 98685	Batch # 2023-0585 Batch Date: 2023-10-23 Extracted From: Finished Product	Test Reg State: Florida
Order # HHP231108-080001 Order Date: 2023-11-08 Sample # AAFA478	Sampling Date: 2023-11-10 Lab Batch Date: 2023-11-10 Completion Date: 2023-11-17	Initial Gross Weight: 247.800 g Number of Units: 1 Net Weight per Unit: 3800.000 mg Sampling Method: MSP 7.3.1

Heavy Metals **Passed**
Specimen Weight: 248.500 mg SOP13.048 (ICP-MS)

Dilution Factor: 201

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	11.76	100	500	113.853
Cadmium (Cd)	.64	100	500	<LOQ	Mercury (Hg)	.58	100	3000	<LOQ

Mycotoxins **Passed**
Specimen Weight: 587.100 mg SOP13.007 (LCMS)

Dilution Factor: 2.550

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Residual Solvents - FL (CBD) **Passed**
Specimen Weight: 11.100 mg SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

HH Processors
14708 NE 13th Ct
Vancouver, WA 98685

Batch # 2023-0585
Batch Date: 2023-10-23
Extracted From: Finished Product

Test Reg State: Florida

Order # HHP231108-080001
Order Date: 2023-11-08
Sample # AAFA478

Sampling Date: 2023-11-10
Lab Batch Date: 2023-11-10
Completion Date: 2023-11-17

Initial Gross Weight: 247.800 g

Number of Units: 1
Net Weight per Unit: 3800.000 mg
Sampling Method: MSP 7.3.1

Pesticides

Specimen Weight: 587.100 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.550

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	300	<LOQ	Fludioxonil	1.7400E+0	48	3000	<LOQ
Acephate	2.3000E-2	30	3000	<LOQ	Hexythiazox	4.9000E-2	30	2000	<LOQ
Acequinocyl	9.5640E+0	48	2000	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	3000	<LOQ	Imidacloprid	9.4000E-2	30	3000	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	1000	<LOQ
Azoxystrobin	8.1000E-2	10	3000	<LOQ	Malathion	8.2000E-2	30	2000	<LOQ
Bifenazate	1.4150E+0	30	3000	<LOQ	Metalaxyl	8.1000E-2	10	3000	<LOQ
Bifenthrin	4.3000E-2	30	500	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	3000	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	3000	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	100	100	<LOQ	Myclobutanil	1.0290E+0	30	3000	<LOQ
Chlorantraniliprole	3.3000E-2	10	3000	<LOQ	Naled	9.5000E-2	30	500	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclbutrazol	6.5000E-2	30	100	<LOQ
Chloromequat Chloride	1.0800E-1	10	3000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	200	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	1000	<LOQ
Clofentezine	1.1900E-1	30	500	<LOQ	Phosmet	8.2000E-2	30	200	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	1000	<LOQ	Prallethrin	7.9800E-1	30	400	<LOQ
Cypermethrin	1.4490E+0	30	1000	<LOQ	Propiconazole	7.0000E-2	30	1000	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	200	<LOQ	Pyrethrins	2.3593E+1	30	1000	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	3000	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	3000	<LOQ
Dimethomorph	5.8300E+0	48	3000	<LOQ	Spinosad	8.8000E-2	30	3000	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	3000	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	3000	<LOQ
Etoxazole	9.5000E-2	30	1500	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	3000	<LOQ	Tebuconazole	6.7000E-2	30	1000	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	2000	<LOQ	Thiamethoxam	5.0000E-2	30	1000	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	3000	<LOQ
Flonicamid	5.1700E-1	30	2000	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

